

KUUT OUTSIDE SAUNA SIZE L

SPECIFICATION

2190 mm x 3265 mm H 2500
Sauna area 3.50 m²
Heater Cilindro with safety railing and FENIX WIFI control unit

Exterior cladding 18 mm
Interior cladding 15 mm
Wall thickness 169 mm
Insulation 100 mm

Door size 700 x 2000 mm
Metal frame 2110 x 3185

MATERIALS

Wall ALDER STS 15x120
Bench ALDER or THERMO-ALDER

LIGHTING

Outdoor light
2 LED strips





MODULAR SAUNA “EMMA”



OPTIONS

- ○ **1500 mm x 1500 mm H 2050**
- ○ **1500 mm x 2000 mm H 2050**
- ○ **2000 mm x 2000 mm H 2050**

MATERIALS

Wall ASPEN or ALDER STP 15x90
Bench ASPEN or ALDER

LIGHTING

2 LED strips

DOOR

size 700 x 1900 mm







MODULAR SAUNA "OTTO“



OPTIONS

- ○ 1600 mm x 2000mm H 2320mm
- ○ 1800 mm x 2000mm H 2320mm
- ○ 2000 mm x 2000mm H 2320mm

MATERIALS

Wall ASPEN STS 15x120
Bench ASPEN

LIGHTING

3 LED strips

GLASS ELEMENTS

10 mm tempered safety glass

KUUT OUTSIDE SAUNA SIZE M

SPECIFICATION

2192 mm x 2192 mm H 2500
Sauna area 3.40 m²
Heater 9kW

Exterior cladding 18 mm
Interior cladding 15 mm
Wall thickness 169 mm

Insulation 100 mm
Door size 700 x 2000 mm
Metal frame 2110 x 2050

MATERIALS

Wall ALDER STS 15x120
Bench ALDER or THERMO-ALDER

LIGHTING

Outdoor light
2 LED strips



KUUT OUTSIDE SAUNA SIZE M WITH WOOD-BURNING HEATER

SPECIFICATION

2192 mm x 2192 mm H 2500
Sauna area 3.40 m²
Heater M3 with black chimney and protective sheath

Exterior cladding 18 mm
Interior cladding 15 mm
Wall thickness 169 mm
Insulation 100 mm

Door size 700 x 2000 mm
Metal frame 2110 x 2050

MATERIALS

Wall ALDER STS 15x120
Bench or THERMO-ALDER

LIGHTING

Outdoor light
2 LED strips







CLT SAUNA "SIMON“ MODULAR SAUNA



OPTIONS

- ○ **1600 mm x 2000 mm H 2150 mm**
- ○ **1800 mm x 2000 mm H 2150 mm**
- ○ **2000 mm x 2000 mm H 2150 mm**
- ○ **2200 mm x 2000 mm H 2150 mm**

MATERIALS

Wall and ceiling - CLT cross laminated timber, thickness 60 mm
Bench ALDER

LIGHTING

LED strips

GLASS ELEMENTS

8 mm tempered safety glass

KUUT PRODUCT CATALOG

KUUT OUTSIDE SAUNA SIZE L WITH WOOD-BURNING HEATER AND SHOWER

SPECIFICATION

2190 mm x 3265 mm H 2656
Sauna area 3.50 m²
Heater M3 with black chimney and protective sheath
Exterior cladding 18 mm
Interior cladding 15 mm
Wall thickness 169 mm



MATERIALS

Wall ALDER STS 15x120
Bench ALDER or THERMO-ALDER

LIGHTING

Outdoor light
2 LED strips

SHOWER

Mixer and showerhead HANSGROHE
Shower drain linear 600 mm
OPTIONS: Bucket Shower



KUUT OUTSIDE SAUNA SIZE L WITH SHOWER

KUUT PRODUCT CATALOG

SPECIFICATION

2190 mm x 3265 mm H 2656
Sauna area 3.50 m²
Heater Cilindro with safety railing and FENIX WIFI control unit
Exterior cladding 18 mm
Exterior cladding 15 mm
Wall thickness 169 mm
Insulation 100 mm
Door size 700 x 2000 mm
Metal frame 2110 x 3185

MATERIALS

Wall ALDER STS 15x120
Bench ALDER or THERMO-ALDER

LIGHTING

Outdoor light
2 LED strips

SHOWER

Mixer and showerhead HANSGROHE
Shower drain linear 600 mm
OPTIONS: Bucket shower

KUUT WOOD-FIRED SAUNA PREMIUM L

SPECIFICATION

2190 x 3265 mm H 2500 mm
Sauna area 3.50 m²
Heater M3 with black chimney and protective sheath

Exterior cladding 18 mm
Interior cladding 15 mm
Wall thickness 169 mm
Insulation 100 mm

Door size 700 x 2000 mm
Metal frame 2110 x 3185

MATERIALS

Wall Alder STS 15x120 mm A
Bench Thermo alder
Floor oiled Thermo birch

LIGHTING

Spotlight in vestibule
Outdoor light
2 LED strip light







SALES@KUUTSAUNA.COM
KUUTSAUNA.COM